



XiR P8200 SERIES	Remote Speaker Microphones	6 – 7
AIII I OLOG OLIIILO	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Remote Speaker Microphones-Accessories with threaded 3.5mm	9 – 10
	Public Safety Microphones	10 – 11
	Surveillance Accessories and earpieces	12 – 15
	Surveillance Accessories Replacement Kits	16, 18
	Earpieces	20 - 23
	Headsets	24 - 25
	Tactical	24 - 25
	Motorola Orginal® Two-way Radios Batteries	36 - 37
	Charger Solutions	42
	Vehicular and Travel Chargers	45
	Impres Battery Management Tools	45
	Carry Solutions	47 – 49
	Antennas	51 – 52
	Programming Cables	58
XiR P8600 / P8600i SERIES	Remote Speaker Microphones	6-7
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Remote Speaker Microphones-Accessories with threaded 3.5mm	9 – 10
	Surveillance Accessories and earpieces	12 – 15
	Surveillance Accessories Replacement Kits	16, 18
	Earpieces	20 – 23
	Headsets	24 – 25
	Tactical	24 – 25
	MagOne Accessories	24 – 25
	Operational Critical Wireless Bluetooth® Accessories	28 – 35
	Wireless Replacements Kits	34
	Motorola Orginal® Two-way Radios Batteries	38 – 41
	Charger Solutions	42
	Vehicular and Travel Chargers	45
	Impres Battery Management Tools	45
	Carry Solutions Screen Protector	46, 48 – 50
		50
	Antennas Antennas Accessories	53, 55 – 56 57
	Programming Cables	58
	Trogramming Gables	30
XIR P8600EX SERIES	Remote Speaker Microphones	8-9
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	3M Peltor Headsets	26 – 27
	Motorola Orginal® Two-way Radios Batteries	40 – 41
	Charger Solutions	42
	Carry Solutions Antennas	46, 49 – 50 54
V:D Decoo / Decoo: CEDIFC	Pameta Casalar Misraphanas	0 0
XiR P6600 / P6600i SERIES	Remote Speaker Microphones	8 – 9 8
	Remote Speaker Microphones-Accessories with standard 3.5mm Surveillance Accessories and earpieces	0 14 – 15
	Surveillance Accessories Replacement Kits	16
	Earpieces	20 – 21
	MagOne Accessories	20 – 21
	Headsets	22 – 23
	Motorola Orginal® Two-way Radios Batteries	36 – 39
	Charger Solutions	42
	Vehicular and Travel Chargers	42 45
	Impres Battery Management Tools	45
	Carry Solutions	47, 49 – 50
	Antennas	53, 55
	Antennas Accessories	57
	Programming Cables	58

XIR E8600 / E8600i SERIES	Remote Speaker Microphones	8 – 9
20000 , 200001 0220	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Surveillance Accessories and earpieces	14 – 15
	Surveillance Accessories Replacement Kits	16
	MagOne Accessories	20 – 21
	Headsets	22 - 23
	Motorola Orginal® Two-way Radios Batteries	40 – 41
	Charger Solutions	44 – 45
	Carry Solutions	46
	Antennas	55
SL1K/SL2K SERIES	Surveillance Accessories and earpieces	14 – 15
	Surveillance Accessories Replacement Kits	16, 18
	Earpieces	20 - 21
	Operational Critical Wireless Bluetooth® Accessories	28 - 35
	Wireless Replacements Kits	34
	Charger Solutions	44
	Carry Solutions	49
	Screen Protector	50
	Antennas	56
	Antennas Accessories	57
	Programming Cables	58
XiR M8200 SERIES	Microphones	61
	Mobile Microphone Accessories	62
	External Push-To-Talk (PTT)	63
	Operational Critical Wireless Bluetooth® Accessories	64 - 67
	Replacement Parts and Secondary Audio Accessories	67
	Control Station Accessories	71
	Installation and Mounting Accessories	72
	External Speakers	73
	Cables	74 - 75
	Antennas	76 – 81
XiR M8660 / M8660i	Microphones	60 - 61
	Mobile Microphone Accessories	62
	External Push-To-Talk(PTT)	63
	Operational Critical Wireless Bluetooth® Accessories	64 - 69
	Replacement Parts and Secondary Audio Accessories	66 - 67,70
	Control Station Accessories	71
	Installation and Mounting Accessories	72
	External Speakers	73
	Cables	74 – 75
	Antennas	76 – 81
XIR M6600 SERIES	Microphones	61
	Mobile Microphone Accessories	62
	External Push-To-Talk(PTT)	63
	Installation and Mounting Accessories	72 – 73
	External Speakers	73
	Cables	75
	Antennas	76 – 81

PAGES

2 CATALOG | MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

PAGES

YOUR BATTERY, SAFER, SMARTER, **POWERED FOR LONGER**



MOTOTRBO PORTABLE RADIOS



MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES™ BATTERIES AND CHARGERS: YOUR **BATTERY, SAFER, SMARTER, POWERED FOR LONGER**

Get rid of the guesswork and get more from every battery.

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries - without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES™ AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work – in howling wind, driving rain, and severe weather – Windporting helps you communicate effectively and listeners hear clearly.

Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> Hear the difference Windporting makes

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a guiet place, you won't disturb others because you forgot to adjust the

Intelligent Audio when complemented with IMPRES Audio takes vour communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO. UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 10m away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket - without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth® headsets.







XIR P6600 SERIES XIR P66001 SERIES



SFRIFS

XIR P8600 SERIES XIR P8600i SERIES



ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™ AUDIO: I HEAR YOU. **HOWEVER YOU SPEAK**

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

DUAL MICROPHONE AUDIO: I HEAR YOU. EVEN WHEN YOU CAN'T HEAR YOURSELE

Virtually blocks out all background noise in demanding and extreme noise you can always communicate clearly. WINDPORTING **AUDIO: I HEAR YOU. NOT THE WIND**

Reduce the effect of wind and other outdoor noises so your messages are always heard clearly. **NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE**

Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.

INTELLIGENT AUDIO: YOUR CALLS. **ALWAYS AT THE** PERFECT VOLUME

Set your volume your accessory to isten for changes in background noise, adjusting the volume automatically so you hear every call.

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELING (INC) REMOTE SPEAKER MICROPHONE?

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS — Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING – for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> <u>Hear the Difference Windporting Makes</u>

INDUSTRIAL NOISE CANCELING (DUAL MICROPHONE NOISE SUPPRESSION) — loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).



PATIBILITY	ACCESSORY			FEATURES									VERTICAL M	IARKETS: Recomme	ndations based o	n typical use case	e for each of ve	rticals listed	
econdary audi nel orders for certai	io accessories engineered	ND PUBLIC SAFETY MICROPHONES [*] 0 d to give you clearer communications even in le ement items require prior approval by Motorola Solutions. Pro n or more information.	oud environments.					All remote sp	eaker microp	hones are l	ouilt with to	p quality mat	erials includ	ing durable Ke	vlar ® cables	that survive t	ough worki	ing condition	is.
LE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	SIZE (MM)	TRANSPORTATIO AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCA (CAMF
1	80	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4024		•	Windporting				IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	(
		IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54)	PMMN4025	•	•	Windporting)	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	(
R P8200 ERIES	13	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				♦ IP57	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•	•			
		IMPRES Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57)	PMMN4046	•		Windporting				♦ IP57	FM TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•			
iR P8600 iR P8600i ERIES	3	IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4050	•		Noise-Canceling			7	IP54	FM TIA	Large 60 x 78 x 28 (without clip)		•		•		•	
	10	IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression				♦ IP57	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	
		IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone with 3.5 mm threaded audio jack (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		V	IP54	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.


INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.


****NOTE:** TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system. FM is mainly for P8200/P8600 series portables and selected accessories. TIA is mainly for P8600/P8600i/P6600i series portables and selected accessories.

COMPATIBILITY	ACCESSORY			FEATURES	5								VERTICAL M	ARKETS: Recomme	ndations based o	on typical use cas	e for each of ve	rticals listed.	
REMOTE SPEAK and secondary audi	ER MICROPHONES A io accessories engineer	AND PUBLIC SAFETY MICROPHONES 0 ed to give you clearer communications even in	ur robust portfolio i loud environments.	ncludes Rem	ote Speaker Mi	crophones, Public Sa	afety Microphones	All remote sp	eaker microp	hones are l	ouilt with top	o quality ma	terials includ	ng durable Ke	vlar ® cables	that survive t	tough worki	ng condition	S.
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATIN	SIZE (MM)	TRANSPORTATIO AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	9	IMPRES Windporting Remote Speaker Microphone (ATEX) with volume control and emergency button	PMMN4067	•		Windporting	•			♦ IP64	ATEX	Large 60 x 78 x 28 (without clip	•	•	•	•	•	•	•
XIR P8600 Ex SERIES		IMPRES ATEX Active Noise Canceling Remote Speaker Microphone (ATEX) with Large front PTT and side PTT, volume control, emergency button, programmable button, Nexus jack, 3.5mm locking jack (IP67)	PMMN4094	•	•	Noise-Canceling	•	, ©	Nexus and 3.5mm locking	♦ IP67	ATEX	Large 68 x 94 x 29 (without clip	•	•	•	•	•		
	1	IMPRES ATEX Omni Directional Remote Speaker Microphone(ATEX) with Large front PTT and side PTT, volume control, emergency button, programmable button, Nexus jack, 3.5mm locking jack(IP67)	PMMN4110	•	•	Omni Directional microphone	•		Nexus and 3.5mm locking	♦ IP67	ATEX	Large 68 x 94 x 29 (without clip	•	•	•	•	•		
4		IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4071	•		Noise-Canceling			€, (IP54	TIA	Large 60 x 78 x 28 (without clip)	•				•	•
XiR E8600 Xir E8600i SERIES	9	IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting) (IP55	TIA	Small 55 x 60 x 27 (without clip	•		•		•	•	•
	4	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				♦ IP57	TIA	Small 55 x 60 x 27 (without clip	•		•		•		
XIR P6600 XIR P6600i SERIES	CA	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4076		•	Windporting			7	IP54	TIA	Small 55 x 60 x 27 (without clip	•		•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
		CESSORIES WITH STANDARD 3.5MM eive radio communications more discreetly.	JACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
•	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Covered Earbud	FM TIA
AUDIO JACK	. 1	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM TIA
(3.5 MM) XIR E8600 XIR E86001 SERIES	16	Receive-Only Earpiece with translucent tube and rubber eartip	PMLN7560	Clear Rubber Eartip	
Xir P6600 Xir P6600i Series Xir P8200	60	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM TIA
SERIES Xir P8600 Xir P8600i SERIES	4	Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM TIA
XiR P8200 SERIES	5	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
Xir P8600 Xir P8600i Series		Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
XIR P8600 Ex SERIES	-5	ATEX/IECEx 3.5 mm Earpiece with Translucent Tube (RX only) for PMMN4094/ PMMN4110 only	PMLN7188	Clear Rubber Eartip	ATEX

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKE	R MICROPHONE ACC	ESSORIES WITH THREADED 3.5MM J	IACK	
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
REMOTE SPEAKER MICROPHONE		One-wire Flexible Ear Receiver, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6719	Over-the-ear
Xir P8200 SERIES		One-wire Earpiece, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6726	Over-the-ear
XIR P8600 XIR P8600i SERIES	6	Extra Loud One-wire Earpiece, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6727	Over-the-ear








11

COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MAI	RKETS: Recommer	ndations based on typ	oical use case for e	ach of verticals lis	sted.	
		ver the same advanced features as our Remote eparately) to improve reception.	Speaker Microphor	nes				All remote sp	eaker micropl	nones are b	ouilt with top	quality materia	als including o	lurable Kevlar ®	cables that su	ırvive tough v	vorking condit	ions.
PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	,	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4041	•	Windporting	30				IP54	FM			•		•		•
	4	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4042	•	Windporting	24				IP54	FM			•		•		•
		IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4043	•	Windporting	18				IP54	FM			•	•			•
XIR P8200 SERIES (UHF/VHF only)		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30				▲ IP57	FM			•		•		
	18	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24				♦ IP57	FM			•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18				♦ IP57	FM			•		•		



COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
SURVEILLANCE A cables that withstand	ACCESSORIES AND End tough conditions. A qui	ARPIECES Transmit and receive discreetly ick-disconnect, durable and comfortable trans	with a variety of sur slucent tube enable	rveillance kits s easy sharing	that feature a g between shift	streamlined design a s.	nd rugged	Two-wire kits ha Three-wire kits f	ve one wire for receiving eature separate wires fo	g transmissions and or receiving transmi	d one wire with a issions, push-to-	a combined mi talk and micro	crophone and p phone.	ush-to-talk.			
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURIN AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		1-Wire Receive-only earpiece, black	PMLN6125		•	Earpiece				FM TIA					•	•	•
XIR P8200 SERIES		1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece				FM TIA					•	•	•
		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	ě	₩ ^		FM TIA					•	•	•
XIR P8600 XIR P8600i SERIES	6 0	IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	7	7	1	FM TIA					•	•	•

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used,

could result in equipment that is NOT approved or unsafe in a hazardous environment. FM is mainly for P8200/P8600 series portables and selected accessories. TIA is mainly for P8600/P8600i/P6600i series portables and selected

FEATURES

ACCESSORY


COMPATIBILITY

SURVEILLANCE ACCESSORIES AND EARPIECES[^] ^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information. TRANSPORTATION AND LOGISTICS MANUFACTURING UTILITIES OR SURVEILLANCE ACCESSORIES HOSPITALITY EDUCATION PORTABLE RADIOS DESCRIPTION OIL AND GAS AND LOGISTICS PUBLIC SERVICE AND RETAIL 1-Wire Surveillance Kit with translucent Clear Rubber NNTN8459 TIA tube, in-line microphone and PTT, black IMPRES 2-Wire Surveillance Kit with FM Clear Rubber PMLN6129 translucent tube, programmable button, Eartip TIA black IMPRES 2-Wire Surveillance Kit with FM Clear Rubber translucent tube, programmable button, PMLN6130 Eartip TIA beige -IMPRES 3-Wire Surveillance Kit with FM XIR P8600 XIR P8600i SERIES Clear Rubber PMLN6123 translucent tube, programmable button, Eartip TIA black IMPRES 3-Wire Surveillance Kit with FM Clear Rubber translucent tube, programmable button, PMLN6124 TIA Eartip beige 2-Wire Surveillance Kit with translucent Clear Rubber PMLN5726 tube, beige Eartip XIR E8600 XIR E8600I SERIES Clear Rubber 2-Wire Surveillance Kit with translucent TIA PMLN7269 tube, black Eartip Clear Rubber 2-Wire Surveillance Kit with translucent PMLN7270 TIA tube, beige Eartip IMPRES 3-Wire Surveillance Kit with quick Clear Rubber TIA PMLN6754 disconnect translucent tube, programmable Eartip button, black IMPRES 3-Wire Surveillance Kit with quick Clear Rubber PMLN6755 TIA disconnect translucent tube, programmable Eartip button, beige 1-Wire Surveillance Kit with in-line mic Clear Rubber PMLN7158 and push-to-talk, black Eartip

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

15

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	ACCESSORY REPLACE	EMENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
XIR E8600 XIB E8600I SERIES XIR P6600 XIR P6600I SERIES	G ···	Note: for High noise kit solution combine RLN Kit and 5080384F72 Replacement Foam Plugs	16242 Low Noise	Foam Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
SERIES XIR P8600 XIR P8600 SERIES	A. D.	Replacement standard clear rubber eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN6124 PLMN6127, PMLN6128 PMLN6129, PMLN6130 NNTN8459, RLN5882 RLN5883, PMLN5111
		Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip	PMLN5112, PMLN6125 PMLN6126, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560
XIR P8200 SERIES XIR P8600 XIR P8600	Same	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111 PMLN5112
XIR P8600 XIR P8600i SERIES	2	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN6125 PMLN6126
XIR E8600 XIR E8600I SERIES XIR P6600 XIR P6600I SERIES SLIK SLIX SERIES	8	Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957
XIR E8600 XIR E8600I SERIES XIR P6600 XIR P6600I SERIES		Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4608	Clear Rubber Eartip	PMLN5724 PMLN5726
	2	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957
SL1K SL2K SERIES		Low Noise Kit with translucent tube with 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN7158



COMPATIBILITY ACCESSORY

SURVEILLANCE ACCESSORY REPLACEMENT KITS

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered.

RTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KI
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	
XIR E8600 XIR E8600i SERIES		Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	_
		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	_
XiR P6600 XiR P6600i SERIES		Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
XIR P8200 SERIES		Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	-
XIR P8600 XIR P8600 SERIES		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	_
SLIK	4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply [™] foam eartip	RLN5313, RLN4941, NNTN8459, RLN5882,
SL2K SERIES	8	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6512	Comply [™] foam eartip	RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, RLN4941, PMLN7369, PMLN3770
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply [™] foam eartip	PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> See what Chopper Noise sounds like





COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL N use case for	MARKETS: Recommend r each of verticals lister	ations based on ty d.	/pical
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XIR E8600 XIR E86001 SERIES XIR P6600 XIR P66001 SERIES		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN6757	Adjustable D-Style	In-Line	In-Line	TIA	•	•	•	•
XIR P8200 SERIES XIR P8600 XIR P8600I SERIES		D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM TIA	•	•	•	•
	Res	Swivel Earpiece with in-line microphone and push-to-talk	PMLN7189	Over-the-ear	Over-the-ear	In-Line		•		•	•
SL1K S12K SERIES		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN7159	D-Style	In-Line	In-Line		•		•	•
MAG ONE™ ACCE	SSORIES										
<u>l</u>	(J)	Mag One Earbud with in-line microphone and push-to-talk TIA approved with P6600i	PMLN5733	Earbud	In-Line	In-Line		•		•	•
E8600 E8600i SERIES		Mag One Swivel Earpiece with in-line microphone and push-to-talk TIA approved with P6600i	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
XIR P6600 XIR P6600i SERIES		Mag One Earset with boom microphone and in-line push-to-talk TIA approved with P6600i	PMLN5732	Earset	In-Line	In-Line		•		•	•



21

COMPATIBILITY	ACCESSORY			FEATURES					MARKETS: Recommend reach of verticals lister		ypical
EARPIECES	_										
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	3	Mag One Earbud with in-line microphone and push-to-talk	PMLN6069	Earbud	In-Line	In-Line		•		•	•
XIR P8200 SERIES	100	Mag One Flexible Earpiece with in-line microphone and push-to-talk	PMLN5973	Over-the-Ear	In-Line	In-Line		•		•	•
		Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5975	Over-the-Ear	In-Line	In-Line		•		•	•
XIR P8600 XIR P8600i SERIES		Mag One Earset with boom microphone and in-line push-to-talk	PMLN5976	Earset	In-Line	In-Line		•		•	•



COMPATIBILITY ACCESSORY FEATURES

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

HEADSETS

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
4		Heavy-Duty Headset with Noise-Canceling boom mic and in-line push-to-talk, noise reduction = 24 dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear		•	Boom	In-Line	Heavy Duty	TIA	•	•	•	•			
E8600 E8600i SERIES	6	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN6635	Over-the-Head	Single-Ear			Boom	In-Line	Lightweight	TIA		•	•		•	•	•
	1	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XiR P6600 XiR P6600i SERIES		Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XIR P6600i SERIES		Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6763	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
SERIES	404	Heavy Duty Over-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN7465	Over-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
	\$	Mag One Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to- talk and boom mic (Replacement parts: 6104000K01—Windscreen; 4204005K01— Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	TIA		•	•		•	•	•
XIR P6600 XIR P6600i SERIES	The same of the sa	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN6759	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight		•	•	•		•	•	•
XIR P8200 XIR P8600 XIR P8600i SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•

FEATURES

COMPATIBILITY ACCESSORY

						can be considered		_			_		MAANUEA OTUDINO					
RTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSE
XiR P8600 XiR P8600i SERIES	1	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6853	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
SERIES		Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB , UL TIA 4950 (See user guide for replacement parts)	PMLN7467	Over-the-Head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
ī	400	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB	PMLN6852	Behind-the-Head	Dual Muff		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
		Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual-Ear		•	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XIR P8200 SERIES	9	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB (See user guide for replacement parts)	PMLN5275	Behind-the-Head	Dual-Ear		•	Boom	In-Line	Heavy Duty	FM TIA	•	•	•	•			
		IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	•	Boom	In-Line	Lightweight	FM	•	•	•	•	•		
XiR P8600 XiR P8600i SERIES		Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058	Over-the-Head	Single-Ear		•	Boom	In-Line	Lightweight	FM TIA		•	•		•	•	
SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•	Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	
annel orders for certain asse contact your chann	n new audio, energies and replacer																	
	nel sales manager for clarification of	nent items require prior approval by Motorola Solutions. Pro or more information.	duction requirements su	ch as stipulated quantity mu	st be met before order	can be considered	d.											
**	nel sales manager for clarification of	nent items require prior approval by Motorola Solutions. Prod or more information. Tactical PTT Only Interface Module	duction requirements su PMLN6827	ch as stipulated quantity mu	st be met before order	can be considered	d.					•	•	•		•		
XIR P8200 SERIES	المالية	or more information.		ch as stipulated quantity mu Over-the-Head	st be met before order Bone Conductor	can be considered	d.	Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•		
Xir P8200 SERIES	المالية	Tactical PTT Only Interface Module Tactical Temple Transducer with noise cancelling boom microphone (requires	PMLN6827		Bone	can be considered	d.	Boom	module	Heavy Duty		•	•	•		•		
ļ	المالية	Tactical PTT Only Interface Module Tactical Temple Transducer with noise cancelling boom microphone (requires interface module PMLN6827) Tactical Remote Body PTT (for use with	PMLN6827 PMLN6833		Bone	can be considered	d.	Boom	module	Heavy Duty		•	•	•		•		
XIR P8600 XIR P8600i	6	Tactical PTT Only Interface Module Tactical Temple Transducer with noise cancelling boom microphone (requires interface module PMLN6827) Tactical Remote Body PTT (for use with interface module PMLN6827) Tactical Remote Ring PTT (for use with	PMLN6827 PMLN6833 PMLN6767		Bone	can be considered	1.	Boom	module	Heavy Duty		•	•	•		•		
XIR P8600 XIR P8600 SERIES	6	Tactical PTT Only Interface Module Tactical Temple Transducer with noise cancelling boom microphone (requires interface module PMLN6827) Tactical Remote Body PTT (for use with interface module PMLN6827) Tactical Remote Ring PTT (for use with	PMLN6827 PMLN6833 PMLN6767		Bone	can be considered	d.	Boom	module	Heavy Duty Lightweight		•	•	•		•	•	

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.


COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MARK	(ETS: Recommendati	ons based on typical	use case for each of	verticals listed.		
3M PELTOR HEAD	DSETS																
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SINGLE NOISE RATING (SNR)	MICROPHONE	РТТ	INTRINSIC SAFETY RATING		MANUFACTURING AND CONSTRUCTION		OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		Heavy Duty Headset with over-the-head headband and boom microphone (ATEX)	PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB	Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
	5,	Heavy Duty Headset with helmet attachment and boom microphone (ATEX)	PMLN6092	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB	Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
XIR P8600 Ex SERIES		Twin Cup Heavy Duty Headset with helmet attachment, boom microphone and extra high-attenuating twin shells (ATEX)	PMLN6333	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db	Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with over- the-head headband and boom microphone, includes volume control (ATEX)	PMLN6090	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB	Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with helmet attachment and boom microphone, includes volume control (ATEX)	PMLN6089	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB	Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			

COMPATIBILITY	ACCESSORY		
AUDIO ACCESSOR	RY ADAPTER		
PORTABLE RADIOS	AUDIO ACCESSORY ADAPTER	DESCRIPTION	PART NUMBER
XIR P8600 Ex SERIES		ATEX Push to Talk Adapter, must be ordered with any Peltor headset	PMLN6368

SINGLE NOISE RATING: Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.





XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action

COMPATIBILITY ACCESSORY FEATURES VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES[^] This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 10m. All blue tooth kits require in country type approvals. P8200 requires a BT adapter, PMLN5712 which has canceled. The blue tooth kits require to purchase the USB chargers separately.

USB chargers separately.

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

Note: SL SERIES and XIR P8600 / P8600i portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.


PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XIR E8600 XIR E86000 SERIES XIR P8200 SERIES XIR P8600 XIR P8600 SERIES		XBT Operations Critical Wireless Behind- the-Neck Headset. Charger is provided with the blue tooth headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54		•	•	•				
SL1K SL2K SERIES	8.	XBT Operations Critical Wireless Headband Style Headset. Charger is provided with the blue tooth headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54		•	•	•				

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort™style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth® solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth

adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.



HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action

PATIBILITY RATIONS CR	ACCESSORY RITICAL WIRELESS BL	UETOOTH® ACCESSORIES This portfol	lio is a game changer	r, giving you the	e flexibility to re	emove the	radio from	your belt	and	Note: SL S	SERIES, XIR	E8600 / E86	00i and X	iR P8600/	P8600i port		ARKETS: Recomme					arate
rchase the USE	B chargers separately. Ple	require in country type approvals. P8200 rec ase refer these chargers under Wireless Re	quires a BT adapter, eplacement Kits.	PIVILN5/12 Wni	cn nas cancele	ed. The blu	ie tooth kit	s require		external a	dapter.				·							
BLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDU (CAN
XIR E8600 XIR E8600i SERIES	80	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8189	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	
XIR P8200 SERIES		Operations Critical Wireless push-to-talk pod (with no charger)	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	•	•		•	•	
XIR P8600 XIR P8600i SERIES	()()	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6463	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	•	•		•	•	
SL1K SL2K SERIES		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16		Standard	30			•	•	•		•	•	

COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MAR	RKETS: Recommer	ndations based on	typical use case	for each of ver	ticals listed.	
OPERATIONS CR	RITICAL WIRELESS BLI	UETOOTH® ACCESSORIES												
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
P8200 requires a BT Please refer these cl ^Channel orders for certain	adapter, PMLN5712 which hargers under Wireless R	nent items require prior approval by Motorola Solutions. Pro	purchase the USB		er can be considered.									
XIR E8600 XIR E8600i SERIES		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
	3	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
XIR P8200 SERIES	55	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)	Operations Critical and Enhanced Operations Critical					•		
XIR P8600 XIR P8600 XIR P8600i SERIES	~~@	Swivel Earpiece with in-line microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	HKLN4513	Over-the-Ear (Swivel)	Boom	Radio Only*	Operations Critical	•	•	•		•	•	•
SL1K SL2K SERIES		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*	Operations Critical	•	•	•		•	•	•

*Note: PTT on radio or with separate wireless PTT. All blue tooth kits require in country type approvals.



COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL MARKE	ETS: Recommend	dations based on t	typical use case t	for each of vert	icals listed.	
OPERATIONS CR	ITICAL WIRELESS BLU	JETOOTH® ACCESSORIES												
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS CO	IANUFACTURING ND ONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		MPLETELY DISCREET KIT* P8200 requires SB chargers separately. Please refer these ch												
XIR E8600 XIR E86001 SERIES XIR P8200	20	Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop)	RLN4922	Completely discreet	On Y-adapter (order separately)	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical					•		
XIR P8200 SERIES XIR P8600 XIR P86001 SERIES SLIK SLZK SERIES	2	Wireless Neckloop Y-adapter and retention hook	NNTN8385		Separate wire	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical					•		
		Wireless Push-to-Talk Pod	NNTN8191		On Y-adapter (order separately)	On PTT Pod	Operations Critical					•		


MPATIBILITY	ACCESSORY ACEMENT KITS		
RTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER
XIR E8600 XIR E8600i SERIES	C-	Replacement Wireless Earpiece 12 inch cable for NNTN8125	NTN2572
	(ta	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comport earpiece	NTN8821
XIR P8200 SERIES	~	Eartube for comport earpiece (pack of 10)	RLN5037
XiR P8600 XiR P8600i SERIES	4	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless pods	PMLN6246
SL1K SL2K SERIES		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PS000042A11(US) PS000042A12(EUR) PS000042A13(UK)







> Experience the Completely
Discreet Wireless Kit





Note: SL series, XiR E8600 / E8600 and XiR P8600 / P8600 series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

COMPATIBILITY	ACCESSORY			FEATURES								
MOTOROLA ORIG MOTOTRBO radio. M	INAL® TWO-WAY RA OTOTRBO batteries are P	DIO BATTERIES The only batteries develop Proven Tough, in lab test after lab test, to withs	oed, tested and cer stand shocks, knoc	tified for optim	nal performanc shakes and ou	e with your tperform the o	ther brands.					
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL (HOURS) 5/5/90 LEGACY	TIME	DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
		IMPRES Li-lon 1600 mAh battery Submersible (IP57)	PMNN4066	•	Li-lon	1600	Analog: 9 Digital: 13	N/A	129 x 55 x 21	145		♦ IP57
		IMPRES Li-lon 1450 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-lon	1450	Analog: 8.5 Digital: 12	N/A	129 x 55 x 23	155	FM	♦ IP57
XiR P8200 SERIES		IMPRES Li-lon 2250 mAh battery Submersible (IP57)	PMNN4077	•	Li-lon	2250	Analog: 13 Digital: 18	N/A	129 x 55 x 23	160		♦ IP57
	8	NiMh 1400 mAh battery Submersible (IP57)	PMNN4065		NiMH	1400	Analog: 8 Digital: 11	N/A	129 x 55 x 21	215		♦ IP57
		IMPRES Li-lon 1600 mAh battery (IP56)	PMNN4417	•	Li-lon	1600	Analog: 8 Digital: 11.5	11 14.5	113 x 52 x 18	125	N/A	IP56
P6600 P6600 SERIES		Li-lon 1600 mAh battery (IP56)	PMNN4416		Li-lon	1600	Analog: 8 Digital: 11.5	11 15	113 x 52 x 18	125	N/A	IP56
		IMPRES Hi-Cap Li-Ion 2250 mAh battery (IP56)	PMNN4418	•	Li-lon	2250	Analog: 11 Digital: 16.5	16 20.5	113 x 52 x 23	150	N/A	IP56

IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe.


Non-Motorola approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.



KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See <u>www.motorolasolutions.com/proventough</u> for details.




HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?


They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery — a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.

37

COMPATIBILITY	ACCESSORY			FEATURES								
MOTOROLA ORIG MOTOTRBO radio. M	INAL® TWO-WAY I	RADIO BATTERIES The only batteries develo e Proven Tough, in lab test after lab test, to with	ped, tested and cer stand shocks, knoc	tified for optin ks, drops and	nal performand shakes and ou	e with your tperform the	other brands.					
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TII (HOURS) 5/5/90 DU LEGACY	TY CYCLE	DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
		Slim Li-lon 1600 mAh battery Submersible (IP68)	PMNN4406		Li-lon	1600	Analog: 8 Digital: 11.5	11 15	113 x 52 x 18	125		♦ IP68
		IMPRES Slim Li-Ion 1600 mAh battery Submersible (IP67)	PMNN4407	•	Li-lon	1600	Analog: 8 Digital: 11.5	11 15	113 x 52 x 18	125		♦ IP67
XIR P6600 XIR P6600i SERIES		IMPRES Hi-Cap Li-lon 2250 mAh battery Submersible (IP68)	PMNN4409	•	Li-lon	2250	Analog: 11 Digital: 16.5	16 20.5	113 x 52 x 23	150		♦ IP68
XiR P8600 XiR P8600i		IMPRES Li-Ion 2100 mAh, slim high density battery (IP68)	PMNN4491	•	Li-lon	2100	Analog: 12 Digital: 16	14 19	113 x 52 x 18	135		♦ IP68
SERIES		IMPRES Hi-Cap Li-Ion 3000 mAh battery, Iow voltage (IP68)	PMNN4493	•	Li-lon	3000	Analog: 13.5 Digital: 18	21 28	113 x 52 x 23	155		♦ IP68
	1	IMPRES 3000 mAh low voltage battery for use with Silent Alert Belt Clip (PMLN7296); battery only	PMNN4488 + PMLN7296	•	Li-lon	3000	Analog: 13.5 Digital: 18	21 28	113 x 52 x 23	155		♦ IP68
		IMPRES Hi-Cap Li-lon 2350 mAh battery Submersible (IP57), Intrinsically safe (FM)	NNTN8129	•	Li-lon	2350	Analog: 12 Digital: 17.5	N/A	113 x 52 x 23	150	FM	♦ IP67
XIR P8600 SERIES	l.	IMPRES Hi-Cap Li-lon 2500 mAh battery Submersible (IP57), Intrinsically safe	NNTN8560	•	Li-lon	2500	Analog: 12.5 Digital: 18.5	N/A	113 x 52 x 23	195	TIA	♦ IP57



COMPATIBILITY	ACCESSORY			FEATURES							
MOTOROLA ORIG MOTOTRBO radio. M	INAL® TWO-WAY RA	DIO BATTERIES The only batteries develor roven Tough, in lab test after lab test, to with	ped, tested and cer	tified for optim	ial performand	ce with your	other brands.				
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYC	DIMENSIONS CLE (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
XíR P8600i SERIES		IMPRES Hi-Cap Li-Ion 2900 mAh low voltage battery, IP68 (TIA)	PMNN4489	•	Li-Ion	2900	NI/A 20	gital:	210	TIA	● IP68
XiR P6600i Series		IMPRES Hi-Cap Li-lon 2900 mAh low voltage battery, IP68 (TIA)	PMNN4490	•	Li-lon	2900	NI/A 20	gital:	210	TIA	♦ IP68
	0	Li-lon 2300 mAh Battery	PMNN4468		Li-lon	2300	14	12 x 36 x 54	50		
	STORMS OF STORMS	BT90 Li-lon 1800 mAh Battery	HKNN4013		Li-lon	1800	11.5	9 x 36 x 54	38		
SL1K SL2K SERIES		BT7X Li-lon 1400 mAh Battery	PMNN4425		Li-lon	1400	8.5	7 x 36 x 54	30		
		Replacement Battery Cover (BT100 - ultra high capacity battery)	PMLN6745								
		Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001								
		Replacement Battery Cover (BT7X - standard battery)	PMLN6000								
4		Li-Ion 1700 mAh IP68 Battery	PMNN4440		Li-lon	1700	Analog: 8.5 12 Digital: 12.3 16	96 x 56 x 15	110		● IP68
XIR E8600 XIR E8600i SERIES		IMPRES Li-Ion 3000 mAh Low Voltage Battery	PMNN4502	•	Li-Ion	3000	Analog: 18 20 Digital: 23.5 25	96 x 56 x 23	155		● IP68
XIR P8600 Ex Series		IMPRES 2075 mAh submersible Li-lon battery, IP67 Intrinsically Safe (ATEX)	NNTN8359	•	Li-lon	2075	Analog: 16 N/ Digital: 9	A		ATEX	● IP67



COMPATIBILITY

ACCESSORY


CHARGER SOLUTIONS[^] Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.

AChange orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stigulated quantity must be met before order can be considered.

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

ORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUMBER OF POCKETS
XIR P6600 XIR P6600 SERIES		Single-Unit Rapid Rate Charger, with Power Supply, 120 VAC US Plug	NNTN8226		Li-lon, NiMh	120 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger, with Power Supply, 220-240 VAC UK plug	NNTN8293		Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger, with Power Supply, 220-240 VAC EUR plug	NNTN8292		Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
XiR P8600		MPRES Single-Unit Rapid Rate Charger, 120 VAC US Plug	AZWPLN4232	•	Li-lon, NiMh	120 VAC	61 x 97 x 163	1
XIR P8600 XIR P8600I SERIES XIR P8600 EX SERIES	08	IMPRES Single-Unit Charger, 220-240 VAC UK Plug	AZWPLN4233	•	Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
XIR P8200 Series		IMPRES Single-Unit Charger, 220-240 VAC EUR Plug	AZWPLN4234	•	Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
<u>"</u>		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 100-240 VAC US plug	WPLN4212	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P8600 Ex SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 100-240 VAC UK plug	WPLN4214	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
	111111	IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 100-240 VAC EUR plug	WPLN4213	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P6600 XIR P6600i SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 100-240 VAC US plug	WPLN4219	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
	XIR P8200 SERIES	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 100-240 VAC UK plug	WPLN4221	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P8200 SERIES		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 100-240 VAC EUR plug	WPLN4220	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
	46	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
XiR P8600 XiR P8600i SERIES	IIII ****	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967					

IMPRES BATTERY MANAGEMENT TOOLS? With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with realtime data not available with other manufacturers' batteries. Our easy-touse software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely. Now over-the-air capable with XiR E8600 / E8600i, P6600 / P6600i and XiR P8600 / P8600i with IMPRES batteries



^{*} Must be C revision or greater for compatibility with XiR P6600 / P6600i series and XiR P8600 / P8600i series radios.

COMPATIBILITY ACCESSORY FEATURES

CHARGER SOLUTIONS[^] Choose from a variety of solutions including single-unit, multi-unit, travel and in-vehicle chargers and be confident your radio is charged and ready to go the moment you need it.

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUMBER OF POCKETS
		POWER SUPPLY ADAPTOR,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, US	PS000042A11	Li-lon	100-240 VAC		1
		POWER SUPPLY ADAPTOR,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK	PS000042A13	Li-lon	100-240 VAC		1
		POWER SUPPLY ADAPTOR,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EUR	PS000042A12	Li-lon	100-240 VAC		1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC US plug	PMLN6701	Li-lon	100-240 VAC	52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC UK plug	PMLN6704	Li-lon	100-240 VAC	52 x 93 x 113	2+1
SL1K SL2K SERIES		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC EUR plug	PMLN6705	Li-lon	100-240 VAC	52 x 93 x 113	2+1
	-	Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC US plug	PMLN6694	Li-lon	100-240 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC UK plug	PMLN6686	Li-lon	100-240 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC EUR plug	PMLN6688	Li-lon	100-240 VAC	65 x 424 x 110	6
		Single Unit Rapid Rate Charger 120 VAC US plug - 2 pin plug	PMTN4024	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
		Single Unit Rapid Rate Charger 220-240 VAC UK plug - 3 pin plug	PMTN4026	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
<u></u>		Single Unit Rapid Rate Charger 220-240 VAC EUR plug - 2 pin plug	PMTN4025	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
XIR E8600 XIR E8600i SERIES		IMPRES Single Unit Rapid Rate Charger with US Power Supply 120 VAC	AZWPLN4182	Li-lon, NiMh	120 VAC	56 x 97 x 147	1
	N. P.	IMPRES Single Unit Rapid Rate Charger with UK Power Supply 220-240 VAC	AZWPLN4183	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger with EUR Power Supply 220-240 VAC	AZWPLN4184	Li-lon, NiMh	220-240 VAC	56 x 97 x 147	1



OMPATIBILITY	ACCESSORY			FEATURES						
		variety of solutions including single-unit, multi-uready to go the moment you need it.	nit, travel and in-ve	hicle char	gers					
DRTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) HXLXD	NUM OF POCK		
		IMPRES Multi-Unit Rapid Rate Charger, non-Display 100-240 VAC US Plug Power Cord	WPLN4187	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6		
	and the same	IMPRES Multi-Unit Rapid Rate Charger (non-display) 100-240 VAC UK Plug Power Cord	WPLN4188	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6		
		IMPRES Multi-Unit Rapid Rate Charger (non-display) 100-240 VAC EUR Plug Power Cord	WPLN4189	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6		
XIR ESGOO XIR ESGOOI SERIES		IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC US Plug Power Cord	WPLN4192	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6		
	arakananan da	IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC UK Plug Power Cord	WPLN4193	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6		
	IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC EUR Plug Power Cord	WPLN4194	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6			
		Charger Insert for standard Multi-Unit Charger	PMLN5010					1		
		Charger Insert for MOTOTRBO Multi- Unit chargers (WPLN4212, WPLN4213, WPLN4214, WPLN4219, WPLN4220, WPLN4221)	PMLN6669					1		
EHICULAR AND	TRAVEL CHARGER	S								
XIR P6600 XIR P6600i SERIES		IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1		
XIR P8200 SERIES XIR P8600 XIR P8600i SERIES		Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord	NNTN8525		Li-lon, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1		
MPRES BATTER	RY MANAGEMENT T	OOLS								
		IMPRES Battery Reader	NNTN7392		and elimi	nate the surpr	out of every batterise of "low battery	'		
Only with IMPRES batteries XIR E8600 XIR E8600i		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677		alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. NUMBER OF POCKETS: MOTOTRBO multiunit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique tri-unit charger for the SL Series enables you					
SERIES XIR P6600 XIR P6600i SERIES	a	IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045							
XIR P8200 SERIES XIR P8600 XIR P8600i SERIES		IMPRES Battery Fleet Management License Key	HKVN4039		to charge		e battery and wirel			

IMPRES Battery Fleet Management is now over the air capable with XIR P8600 / P8600i / E8600 / E8600i and XIR P6600 / P6600i radios (must use MOTOTRBO software

update 2.4 or greater).

IMPRES Battery Fleet Management Software, downloadable from

Motorolasolutions.com

NNTN7676

^{*} Must be C revision or greater for compatibility with XiR P6600 / P6600i series and XiR P8600 / P8600i series radios.




COMPATIBILITY	ACCESSORY		FEATURES					
		ailable in sizes designed to fit your radio and l o you can concentrate on the task at hand.	pattery and permit	audio to be heard cl	early.			
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	DISPLAY/ NON DISPLAY	
		Hard leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6096	Hard Leather	2.5	Swivel	Non- Display	
		Hard leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6097	Hard Leather	2.5	Swivel	Display	
XIR P8600 Ex SERIES		Soft leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6098	Soft Leather	2.5	Swivel	Non- Display	
		Soft leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6099	Soft Leather	2.5	Swivel	Display	
1		Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A	
XiR E8600 XiR E8600i		Synthetic Leather with 3 inch Fixed Belt Loop for standard battery	PMLN7536	Synthetic Leather	3	Fixed	Non- Display	
SERIES		Synthetic Leather with 3 inch Fixed Belt Loop for high capacity battery	PMLN7537	Synthetic Leather	3	Fixed	Non- Display	
	É	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display	
J		Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display	
XiR P6600	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display	
XIR P6600 XIR P66001 SERIES	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display	
		Soft Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display	

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION Our carry accessories	S Carrying cases are ava s keep your hands-free, s	ailable in sizes designed to fit your radio and b o you can concentrate on the task at hand.	pattery and permit	audio to be heard (clearly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	DISPLAY/ NON DISPLAY
		Soft Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5017	Soft Leather	3	Swivel	Display
		Soft Leather Carry Case with 3 inch fixed Belt Loop (display model)	PMLN5018	Soft Leather	3	Fixed	Display
XIR P6600 XIR P6600i SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non Display
		Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non Display
	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non Display
	Ú	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non Display
		Soft Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5025	Soft Leather	2.5	Swivel	Non Display
		Soft Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5026	Soft Leather	3	Swivel	Non Display
		Soft Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5027	Soft Leather	3	Fixed	Non Display
		Nylon Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
XIR P8200 SERIES		Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non Display
		Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION all designed to keep	NS Choose from a wide ryour radio protected, yet	ange of nylon cases, leather cases, straps, ho still easy to access.	lsters and clips,				
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ FIXED	DISPLAY/ NON DISPLAY
		Hard Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display
YIR BROOM		Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non Display
XIR P8200 SERIES		Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non Display
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non Display
		Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display
		Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display
		Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display
XIR P8600 XIR P8600i SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non Display
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non Display



COMPATIBILITY	ACCESSORY			FEATURES		
CARRY SOLUTION	IS					
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
		2.5 inch Belt Clip for ATEX models	PMLN6086	Plastic	2.5	
XIR P8600 Ex SERIES		2.5 inch Replacement Leather Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
a.l.		Silent Alert Belt Clip for use with IMPRES battery PMMN4488, clip only	PMLN7296	Plastic		
XIR P6600 XIR P6600i SERIES		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2.5	
SERIES		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
XIR P8600		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
XiR P8600 Xir P8600i Series		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel
		Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel
		Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel
XIR P8200 SERIES		Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2	
d	1	Carry Holder/Holster for SL series radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel
SL1K SL2K SERIES	~	Nylon Wrist Strap for securely carrying Motorola two-way radios	PMLN6074	Nylon		
		Soft leather carry case with 1.5 inch quick release swivel belt clip	PMLN7040	Soft Leather	1.5	Swivel

COMPATIBILITY	ACCESSORY		
SCREEN PROTECT	TORS		
PORTABLE RADIOS	SCREEN PROTECTORS	DESCRIPTION	PART NUMBER
XIR P8600 XIR P8600i SERIES	Ch 1 City Parks Contact Zone	Screen Protector, clear (single pack - Qty 1)	AY000267A01
SL1K SL2K SERIES	Ch 1 City Parks	Screen Protector, clear (single pack - Qty 1)	AY000269A01



COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTION	NS			
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL
	1	Waterproof Bag with large strap for securely carrying Motorola two-way radios	HLN9985	
XIR E8600 XIR E8600i SERIES		1.75 inch Wide Leather Belt	4200865599	Leather
	H	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
XIR P6600 XIR P6600i SERIES	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	
XiR P8200 SERIES	1	Radio Pack Radio Utility Case	RLN4815	
		Radio Pack Extension Belt for waists larger than 40 inches	4280384F89	
XIR P8600 XIR P8600i SERIES	6	Adjustable Nylon Carrying Strap	NTN5243	Nylon
XiR P8600 Ex SERIES	0.	Accessory Connector Dust Cover	15012157001	Plastic
XiR P8200 Series		Accessory Connector Dust Cover	1571477L01	Plastic
XiR P8600 Xir P8600i Series	9	Accessory Connector Dust Cover	15012157001	Plastic
XIR P6600 Series		Accessory Connector Dust Cover	PMLN6066	Plastic
XIR P6600i Series		Accessory Connector Dust Cover	0104058J40	Plastic



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range	PMAE4018	UHF	403-433	•	14	Whip
ı	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range	PMAE4024	UHF	430-470	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range	PMAE4050	UHF	450-495	•	14	Whip
YIR PRON		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range	PMAE4051	UHF	495-527	•	14	Whip
XIR P8200 Series		VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	•	16	Helica
	/	VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range	PMAD4068	VHF	147-160	•	16	Helical
		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	•	16	Helical
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical


FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The XiR P6600 / P6600i series radios do not have GPS capability, but use these antennas.)

COMPATIBILITY	ACCESSORY		FEATURES					
ANTENNAS Get the offer superior perform	e best possible receptio nance over XiR P8200 Se	n wherever you operate. New stubby antenna: eries stubby antennas.	s for the XiR P8600	/ P8600i and X	iR P6600 / P6	600i series r	adios	
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF/ VHF/ (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
	/	UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
	VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip	
	UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby	
	1	UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
XIR P8200 SERIES		UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
	/	VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip

COMPATIBILITY	ACCESSORY			FEATURES	_			
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
Will prope		VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
		UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
XIR P6600 XIR P6600i SERIES	/	UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
XIR P8600 XIR P8600i SERIES		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
	/	VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF Stubby Antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
		VHF Stubby Antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby
		UHF Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527			Whip

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LENGTH GPS (CM)	TYPE
	/	UHF Folded Monopole Whip Antenna for ATEX radio (403-433 MHz)	PMAE4081	UHF	403-433		Whip
	/	UHF Folded Monopole Whip Antenna for ATEX radio (430-470 MHz)	PMAE4082	UHF	430-470		Whip
	/	UHF Stubby Antenna for ATEX radio (403-433 MHz)	PMAE4083	UHF	403-433		Stubby
	1	UHF Stubby Antenna for ATEX radio (430-470 MHz)	PMAE4084	UHF	430-470		Stubby
I	/	UHF Wideband Whip Antenna for ATEX radio (403-470 MHz)	PMAE4085	UHF	403-470		Whip
XiR P8600 Ex	/	VHF/GPS Helical Whip Antenna for ATEX radio (136-147 MHz)	PMAD4126	VHF	136-147		Whip
SERIES	/	VHF/GPS Helical Whip Antenna for ATEX radio (147-160 MHz)	PMAD4127	VHF	147-160		Whip
	/	VHF/GPS Helical Whip Antenna for ATEX radio (160-174 MHz)	PMAD4128	VHF	160-174		Whip
		VHF Stubby Antenna for ATEX radio (136-147 MHz)	PMAD4129	VHF	136-147	11	Stubby
	/	VHF Stubby Antenna for ATEX radio (147-160 MHz)	PMAD4130	VHF	147-160	11	Stubby
	/	VHF Stubby Antenna for ATEX radio (160-174 MHz)	PMAD4131	VHF	160-174	11	Stubby
	/	VHF Wideband Antenna for ATEX radio (136-174 MHz)	PMAD4132	VHF	136-174		Whip



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LENGT GPS (CM)	Н ТҮРЕ
Ш		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174		Stubby
XIR E8600 XIR E8600i SERIES		VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380		Stubby
XIR P6600 XIR P66001 SERIES		VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400		Stubby
		VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360		Whip
XiR P8600 XiR P8600i SERIES		VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400		Whip

COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES			
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LENGTH GPS (CM)	ТҮРЕ
		800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870	14	Whip
XIR P8600 XIR P8600I SERIES		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941	16.4	Whip
		UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425	1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz range	PMAE4076	UHF	420-445	1.9	Stubby
SLIK		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470	1.9	Stubby
SL1K SL2K SERIES		UHF Stubby Antenna Kit for the 450-490 MHz range	PMAE4091	UHF	450–490	1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz range	PMAE4092	UHF	480–527	1.9	Stubby
		Antenna Kit for the 800 MHz range	PMAF4017	800/ 900 MHz	806-870	1.1	Stubby



COMPATIBILITY	ACCESSORY		
ANTENNA ACCES	SORIES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
4		Gray Antenna ID Bands (pack of 10pcs)	32012144001
XIR E8600 XIR E8600i SERIES		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
XIR P6600 XIR P6600 SERIES		Green Antenna ID Bands (pack of 10pcs)	32012144003
		Blue Antenna ID Bands (pack of 10pcs)	32012144004
XIR P8600 XIR P8600i SERIES		Purple Antenna ID Bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY		
PROGRAMMING	CABLES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
XIR E8600 XIR E8600i SERIES		Portable Programming Cable (USB) for XiR E8600 / E8600i series and XiR P6600 / P6600i series	PMKN4115
XIR P6600 XIR P6600i SERIES		Programming, Test, and Alignment Cable for XiR E8600 / E8600i series and XiR P6600 / P6600i series	PMKN4117
1		Portable Programming Cable (USB) for XiR P8200 / P8600 / P8600i series	PMKN4012
XIR P8200 SERIES		Programming, Test, and Alignment Cable for XiR P8200 / P8600 / P8600i series	PMKN4013
XIR P8600 XIR P8600i SERIES	.	Portable Telemetry Cable	PMKN4040
		IMPRES Portable Non-PC Adapter	PMKN4071
XiR P8600 XiR P8600i SERIES		IMPRES Mobile MMP Non-PC Adapter	PMKN4126
SL1K SL2K SERIES		Portable Programming Cable (micro USB) for SL series	CB000262A01

MOTOTRBO MOBILE RADIOS





XIR M8600 SERIES XIR M8600I SERIES

UNRIVALED VOICE AND DATA ON THE GO

XIR M8600 / XIR M8600I SERIES

The XiR M8600 series shares the same connector as the XiR M8200 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth®, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 10m of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.



XIR M8200 SERIES

INTEGRATED VOICE AND DATA ON THE GO

XiR M8200 SERIES


Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XiR M8200 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.



XIR M6600 SERIES

XIR M6600 SERIES


The XiR M6600 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XiR M6600 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children — you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.



COMPATIBILITY	ACCESSORY			FEATURES	
		you easily navigate menus on your M8260 or M vhile wearing gloves and the telephone-style ha			ext messages.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
		IMPRES Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation	•
Xir M8660 Xir M8660i SERIES	F	MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
	0	MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable	PMKN4174		

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES Ke The heavy-duty micro	eypad microphones let you phone is easy to use while	u easily navigate menus on your M8260 or M8 e wearing gloves and the telephone-style har	3660 series mobiles, d ndset enables more d	ial phone numbers and send t iscreet communication.	ext messages.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
XIR M8200 Series		IMPRES Keypad Microphone	RMN5065	Keypad	•
		Standard Compact Microphone	RMN5052	Compact	
	4	IMPRES Heavy-Duty Microphone	RMN5053	Heavy-Duty	•
XIR M8600 XIR M8600i SERIES	9	IMPRES Telephone Style Handset	HMN4098	Telephone Style Handset	•
XiR M8200 Series	10	IMPRES Visor Microphone	RMN5054	Visor	•
	4	Desktop Microphone	RMN5050	Desktop	
	1	Compact Microphone	PMMN4090	Compact	
	1	Heavy Duty Microphone	PMMN4091	Heavy-Duty	
XIR M6600 SERIES		Keypad Microphone	PMMN4089	Keypad	
	-6	Visor Microphone	GMMN4065	Visor	
		Desktop Microphone	PMMN4098	Desktop	





HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.



MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
0	Pushbutton push-to-talk to interface with your visor microphone	RLN5926
	Emergency Footswitch can be used with a visor microphone	RLN5929
0	Remote Mount Footswitch Push-to-Talk to interface with your visor microphone	RLN4856
	Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone	RLN4857
GHA	External PTT with Emergency Footswitch	RLN4836
~	Gooseneck PTT	RLN4858
	e emergency footswitch S.	Pushbutton push-to-talk to interface with your visor microphone Emergency Footswitch can be used with a visor microphone Remote Mount Footswitch Push-to-Talk to interface with your visor microphone Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone External PTT with Emergency Footswitch

EXTERNAL PUSH-TO-TALK (PTT) Activate the PTT or emergency footswitch without having to use



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XiR M6600 mobile radios.

CATALOG | MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES

COMPATIBILITY

ACCESSORY



LONG RANGE WIRELESS SOLUTIONS

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.

COMPATIBILITY

ACCESSORY

FEATURES

VERTICAL N

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES[^] This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain extended to your radio up to 100m line of sight (All bluetooth kits require in country approvals).

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your change calls manager for clarification or more information.

can be considered. Please MOBILE RADIOS	contact your channel sales managed wireless: Enhanced operations critical wireless	ger for clarification or more information. DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETERS)	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	PRIVATE SECURITY	EDUCATION (CAMPUSES)
		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Mic Bluetooth Gateway; Vehicular Charger	MDRLN6551	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•
XIR M9600 XIR M9600i SERIES		Dual Unit Charger (Charger base with US power supply)	PMLN7120						3							•	•	•	•	•
XIR M8200 SERIES		Dual Unit Charger (Charger base with EU power supply)	PMLN7121						3							•	•	•	•	•
		Dual Unit Charger (Charger base with UK power supply)	PMLN7122						3							•	•	•	•	•

MAINTAIN CRITICAL COMMUNICATIONS EVEN ON REMOTE JOB SITES



SITUATION

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XiR M8200 and XiR M8600 / M8600i series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.

COMPATIBILITY ACCESSORY FEATURES

REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES[^]

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

MOBILE RADIOS	REPLACEMEN AND SECOND ACCESSORIE	ARY AUDIO	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECE
XIR M8600 XIR M8600i			Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN4941, PMLN7560
SERIES XIR M8200 SERIES	6	0	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ foam eartip	RLN4941, PMLN7560
			Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ foam eartip	RLN4941, PMLN7560

COMPATIBILITY ACCESSORY FEATURES

REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES[^]

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

MOBILE RADIOS	REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE
		Mobile Microphone with Bluetooth Gateway	PMMN4097									Enhanced Operations Critical	Touch		
		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting				28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55
XIR M8600		Wireless RSM Battery, 1750mA Li-lon 3.6 VDC	PMNN4461					28	3						
XIR M8600 XIR M8600i SERIES	<u></u>	Vehicular Charger with coil cord cigarette lighter plug	PMLN6716												
XIR M8200 SERIES	I g	Hang Up Clip, required for vehicular charger	HLN5391												
		D Ring Swivel Clip	42009312001												
	3	Receive-Only Earpiece with Comfort Eartube	RLN4941 PMLN7560												
	0	Receive-Only Earbud	AARLN4885												



HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

COMPATIBILITY ACCESSORY FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES[^] This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 10m away. All blue tooth kits require in country type approvals. The bluetooth kits require to purchase the USB chargers separately. Please refer these chargers under Wireless Replacement Kits.

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

MOBILE RADIOS	OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
	80	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8189	Over-the-ear tube (CommPort™)	Directional, above the earpiece	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
	3	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	Requires separate PTT pod	10 with PTT pod				Standard	IP54
		Operations Critical Wireless push-to-talk pod without charger	NNTN8191	N/A	N/A	On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
XIR M8600 XIR M8600i SERIES	(I)C	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6463	Over-the-ear (Swivel)	In-line	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	In-line	On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
		XBT Operations Critical Wireless Behind-the-Neck Headset. Charger is provided with the blue tooth headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7		429	Standard	IP54
	8.	XBT Operations Critical Wireless Headband Style Headset. Charger is provided with the blue tooth headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7		422	Standard	IP54

Note: XiR M8660 / M8660i series mobile radios have Bluetooth embedded in the radio. *Note: PTT on radio or with separate wireless PTT.

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort™ style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.




COMPATIBILITY	ACCESSORY			FEATURES					
WIRELESS REPLACEMENT PARTS ^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.									
MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT			
	63	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A			
	(c)	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A			
	~	Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A			
XiR M8600 XiR M8600i									

Please contact your channel	new audio, energies and replacem el sales manager for clarification o	ent items require prior approval by Motorola Solutions. Prod r more information.	uction requirements such	h as stipulated quantity mu	ist be met before order car	i be considered.
MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	РТТ
	63	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A
	(4)	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A
	~	Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A
XiR M8600 Xir M8600i Series	4	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless pods	PMLN6246	N/A	N/A	N/A
		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PS000042A11(US) PS000042A13(UK) PS000042A12(EUR)	N/A	N/A	N/A
	~~?	Swivel Earpiece with in-line microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	HKLN4513	Over-the-Ear (Swivel)	Boom	Radio Only
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only

COMPATIBILITY	ACCESSORY						
CONTROL STATION ACCESSORIES Quickly and conveniently convert your radio into a base station. Ideal for transportation, manufacturing and public service operations that have dispatch requirements.							
MOBILE RADIOS	CONTROL STATION ACCESSORIES	DESCRIPTION	PART NUMBER				
		Desktop Tray with speaker	RSN4005				
XIR M8600 XIR M8600i SERIES		Desktop Tray without speaker	GLN7318				
XIR M8200 SERIES	B	Power Supply, 25-60W, 1-60W cord included	HPN4007				





COMPATIBILITY	ACCESSORY									
compromising safety.	INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited.									
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER							
XIR M8200 SERIES		Low Profile Trunnion Kit keeps radio tucked up under dash (Box)	RLN6077							
XIR M8200 SERIES		High Profile Trunnion Kit with under dash or floor mount	RLN6078							
XIR M8600 XIR M8600I SERIES XIR M6600 SERIES		High Profile Trunnion Kit with under dash or floor mount	RLN6467							
XiR M8200 SERIES		Key Lock Trunnion Kit provides extra protection from theft	RLN6079							
XIR M8600 XIR M8600I SERIES XIR M6600 SERIES	C. 13	Key Lock Trunnion Kit provides extra protection from theft	RLN6468							
XiR M8200 SERIES		Direct In Dashboard Mounting Kit	RLN5933							
XiR M8600 XiR M8600i SERIES		Direct In Dashboard Mounting Kit	RLN6465							
XiR M8200 SERIES		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN5404							
		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN6404							



COMPATIBILITY	ACCESSORY						
INSTALLATION AND MOUNTING ACCESSORIES							
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER				
		In-Dash Mounting Kit - DIN	FTN6083				
		Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137				
XIR MG600 SERIES	-0	Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191				
	0	Power Cable to Battery - 20 foot, 20 amp 10 AWG	HKN4192				
	0	Ignition Sense Cable	HKN9327				

COMPATIBILITY	ACCESSORY							
EXTERNAL SPEAK speakers. Different was	EXTERNAL SPEAKERS Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customized to your environment.							
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION	PART NUMBER					
XIR M8600 XIR M8600i SERIES		13W External Speaker	RSN4002					
		7.5W External Speaker	RSN4003					
XIR M8200 SERIES		5W External Speaker	RSN4004					
	1	7.5W External Speaker	HSN8145					
XIR M6600 Series		13W External Speaker	RSN4001					
	Q	Speaker Extension Cable	GMKN4084					





COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
XIR M8200 SERIES		Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
XiR M8600 XiR M8600i SERIES		IMPRES Mobile MMP Non-PC Adapter	PMKN4072
		MPRES Mobile MAP Non-PC Adapter	PMKN4070
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
XIR M8600	Ŷγ	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
XIR M8600i SERIES		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
XIR M8200 SERIES	0%	Ignition Sense Cable	RKN4136



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
	*	Mobile and Repeater Rear Accessory Programming Cable	PMKN4010
		Mobile and Repeater Rear Programming, Test and Alignment Cable	PMKN4016
XIR M8600 XIR M8600i SERIES	40	Mobile Rear Accessory Connector Universal Cable	PMKN4018
XiR M8200 SERIES		Mobile Front Programming Cable	HKN6184
		Hardware Kit for Rear Accessory Connector	PMLN5072
		Mobile Front Programming Cable	PMKN4147
		Mobile Rear Accessory Connector Universal Cable	PMKN4151
		16 Pin MAP Connector Housing	1580922V01
		Rear Accessory Connector Seal with Connector and Pins	GMBN1021
Xir M6600 SERIES	THE STATE OF THE S	16 Pin Accessory Connector Kit	HLN9457
		Hardware Connection Kit (Pins and Removal Tool) APAC only	HLN9491
		Connector Extender, 20 pieces	PMLN5620
		Gasket, Cover, Accessory Connector	3202607Y01
		Generic Option Board	PMLN6544



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A vari	iety of antennas ensure the	e best possible reception wherever you oper	ate. Choose from a	UHF/VHF/	FREQUENCY	INTEGRATED	MOUNTING
	PS/UHF ANTENNAS			(800/900 MHz)	BAND (MHz)	GPS	STYLE
	00	Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4035	UHF	403-430	•	Through- hole
	000	Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-hole Mount, BNC	PMAE4036	UHF	406-420	•	Through- hole
	000	Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4037	UHF	450-470	•	Through- hole
XIR M8600 XIR M8600i SERIES	2	Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-hole Mount, BNC	PMAE4038	UHF	450-470	•	Through- hole
XiR M8200 SERIES	○○ ○	Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6025	UHF	470-494	•	Through- hole
	000	Combination GPS/UHF 494-512 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6023	UHF	494-512	•	Through- hole
	000	Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-hole Mount, BNC	HAE6017	UHF	403-527	•	Through- hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-hole Mount, BNC	HAE6018	UHF	470-527	•	Through- hole
XIR M8600 XIR M8600i SERIES		Antenna, Mobile, Combination GPS/ GALILEO/OZSS/GLONASS, UHF 320-360 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4143	UHF	320-360	•	Through- hole

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS	(RF ONLY)						
XIR M8600I XIR M8600I SERIES XIR M8200 SERIES XIR M6600 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470		Through- hole
	À	UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz range, 5 dB Gain, Mini-U (with base)	RAE4004ARB	UHF	445-470		Through- hole
XIR M8600 XIR M8600i SERIES		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz range, Mini-U	HAE4002	UHF	403-430		Roof mount
XIR M8200 SERIES XIR M6600 SERIES		UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz range, Mini-U	HAE4003	UHF	450-470		Roof mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz range, Mini-U	HAE4004	UHF	470-512		Roof mount
XIR M8600 XIR M8600 SERIES XIR M8200 SERIES		UHF Wide Area Roof Mount Antenna for the 494-512 MHz range, 3.5 dB Gain	HAE4013	UHF	494-512		Through- hole

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility. **INTEGRATED GPS:** To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS				11115 (11815 (FOFOUENOV	INTEGRATER	MOUNTING
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS (RF ONLY)			l			
	000	UHF, 403-430 MHz, 1/4 Wave, Through- hole Mount, BNC	RAE4151	UHF	403-430		Through- hole
XIR M8600 XIR M8600i SERIES	000	UHF, 450-470 MHz, 1/4 Wave, Through- hole Mount, BNC	RAE4152	UHF	450-470		Through- hole
XIR M8200 SERIES	0000	UHF, 450-470 MHz, 5 dB Gain, Throughhole Mount, BNC	RAE4154	UHF	450-470		Through- hole
XIR M6600 Series	000:	UHF, 406-420 MHz, 3.5 dB Gain, Throughhole Mount, BNC	RAE4158	UHF	406-420		Through- hole
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz range, 3 dB Gain	RAD4218	VHF	146-172	•	Through- hole
XIR M8600 XIR M8600i SERIES	00 000	Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4219	VHF	136-144	•	Through- hole
XIR M8200 SERIES	00 000	Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4220	VHF	146-150.8	•	Through- hole
	00 000	Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4221	VHF	150.8-162	•	Through- hole
	00 000	Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4222	VHF	162-174	•	Through- hole

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
VHF ANTENNAS (RF ONLY)						
		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz range, Mini-U	HAD4006	VHF	136-144		Roof mount
XIR M8600	S.	VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz range, Mini-U	HAD4007	VHF	146-150.8		Roof mount
XIR M8600 XIR M8600 SERIES XIR M8200 SERIES		VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz range, Mini-U	HAD4008	VHF	150.8-162		Roof mount
XIR M6600 SERIES	8	VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz range, Mini-U	HAD4009	VHF	162-174		Roof mount
VHF ANTENNAS (RF ONLY)						
XiR M8600 XiR M8600i SERIES		VHF Wide Area Through-hole Mount Antenna for the 132-174 MHz range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through- hole
XIR M8200 SERIES XIR M6600 SERIES	000	VHF, 146-150.8 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4199	VHF	146-150.8		Through- hole
XIR M8600 XIR M8600i SERIES XIR M8200 SERIES		VHF Antenna Kit 150.8-162 MHz, 1/4 Wave	RAD4224	VHF	150.8-162		

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF/VHF/	FREQUENCY	INTEGRATED	MOUNTING
		DESCRIPTION	PART NUMBER	(800/900 MHz)	BAND (MHz)	GPS	STYLE
STANDALONE GR	SANTENNAS	Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
XIR M8600 XIR M8600i SERIES	©	Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass
XIR M8200 SERIES		Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic
COMBINATION G	PS/800/900 ANTENN/	AS					
	8600 8600i S	GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range	HAF4029	800/900	806-941	•	Through- hole
XIR M8600 XIR M8600i SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain	HAF4030	800/900	806-941	•	Through- hole
XIR M8200 SERIES		GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range	HAF4032	800/900	806-941	•	Through- hole
		GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4033	800/900	806-941	•	Through- hole
800/900 VHF ANT	ENNAS (RF ONLY)						
		Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain	HAF4013	800/900	806-941		Through- hole
XIR M8600 XIR M8600i SERIES		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range	HAF4025	800/900	806-941		Through- hole
XiR M8200 Series	-JIII	Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain	HAF4026	800/900	806-941		Through- hole



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
800/900 VHF ANTE	NNAS (RF ONLY)						
		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4027	800/900	806-941		Through- hole
XIR M8600 XIR M8600i SERIES	· · ·	Kit, Combination GPS+RF, Base Only, Through-hole Mount, BNC	PMAN4003	N/A	N/A	N/A	Through- hole
XIR M8200 Series	000	Kit, Combination GPS+RF, Base Only, Through-hole Mount, Mini-U	PMAN4004	N/A	N/A	N/A	Through- hole


COMPATIBILITY	ACCESSORY					
ANTENNA ACCESSORIES						
MOBILE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER			
XiR M8600 XIR M8600i SERIES	6	Mobile Mini-U Antenna Adapter, 8-foot cable	HKN9088			
Xir M8200 SERIES		PL259/Mini-U Antenna Adapter, 8-foot cable	HKN9557			











For more information on Motorola accessories, visit **www.motorolasolutions.com/ap/mototrbo**

Motorola Solutions Singapore Pte Ltd

12 Ang Mo Kio Street 64, Ang Mo Kio Industrial Park 3, UE Biz Hub, Block A, Level 7 Singapore 569088

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2017 Motorola Solutions, Inc. All rights reserved. GLOBAL_ACCE_CAT_AP_070417



